				- DD	mine stamp
	Number	Hits	Search Text	DB	Time stamp
5		38	("5928364" "5889866" "5935244" "5742758"	USPAT;	2004/08/26 09:43
ŀ			"4757533" "4951249" "5210795" "5265163"	US-PGPUB;	
			"5265163" "5469564" "5481265" "5485519"	EPO; JPO;	
			"5610981" "5623637" "5734206" "5825871"	DERWENT;	
			"5925128" "549882" "5963657").pn.	IBM TDB	
7		0	(("5928364" "5889866" "5935244" "5742758"	USPAT;	2004/08/26 09:44
′		Ĭ	"4757533" "4951249" "5210795" "5265163"	US-PGPUB;	
			"5265163" "5469564" "5481265" "5485519"	EPO; JPO;	
ļ			"5610981" "5623637" "5734206" "5825871"	DERWENT;	
		-	"5925128" "549882" "5963657").pn.) and ("key	IBM_TDB	
			pad" with (image or fingerprint or		-
			biometric))		
_		10	keypad with (image\$1 with (password\$1 or	USPAT;	2004/08/18 15:35
			passcode\$1))	US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
				IBM TDB	
			() d the /image 61ibb /mmage ond 61 - on	USPAT;	2004/08/18 15:38
-		3 ·	(keypad with (image\$1 with (password\$1 or	1	2004/08/18 13:30
			passcode\$1))) and @ad < "20000411"	US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
		1		IBM_TDB	
-	*	1	"keypad device" with (image\$1 with	USPAT;	2004/08/18 15:37
		1	(password\$1 or passcode\$1))	US-PGPUB;	
		0	(password) or passeode,	EPO; JPO;	
				DERWENT;	
				IBM_TDB	2001/20/20 25 50
-		78	(floppy or dis\$2) with (image\$1 with	USPAT;	2004/08/18 15:50
			(password\$1 or passcode\$1))	US-PGPUB;	
				EPO; JPO;	
1				DERWENT;	
				IBM TDB	
		33	((floppy or dis\$2) with (image\$1 with	USPAT;	2004/08/18 15:56
~		33	(password\$1 or passcode\$1))) and @ad <	US-PGPUB;	2001,00,10 13:00
				1	
			"20000411"	EPO; JPO;	
				DERWENT;	
				IBM_TDB	
-		86	((floppy or (floppy dis\$2)) or ("compact	USPAT;	2004/08/18 15:55
İ			dis\$4" or CD)) with (image\$1 with	US-PGPUB;	
			(password\$1 or passcode\$1))	EPO; JPO;	
				DERWENT;	
1				IBM TDB	1
_		36	(((floppy or (floppy dis\$2)) or ("compact	USPAT;	2004/08/19 13:55
			dis\$4" or CD)) with (image\$1 with	US-PGPUB;	111, 50, 11 10:00
				EPO; JPO;	*
1			(password\$1 or passcode\$1))) and @ad <		
			"20000411"	DERWENT;	
				IBM_TDB	0004/00/10 17 17
-		31		USPAT;	2004/08/18 17:00
			dis\$5)) near6 (image\$1 near4 stor\$3)	US-PGPUB;	
				EPO; JPO;	1
			* .	DERWENT;	1
				IBM TDB	
1_		16	(((replaceable adj dis\$5) or (removable adj	USPAT;	2004/08/18 17:00
-		10	dis\$5)) near6 (image\$1 near4 stor\$3)) and	US-PGPUB;	= 551,55,15 17.50
			@ad < "20000411"	EPO; JPO;	
				DERWENT;	
				IBM_TDB	
[ -		1	((replaceable adj dis\$5) or (removable adj	USPAT;	2004/08/18 17:06
			dis\$5)) with "keypad device"	US-PGPUB;	1
			_ · _ <del></del>	EPO; JPO;	
ļ				DERWENT;	
				IBM TDB	
			//replaceable adj diggs or /removable adj	_	2004/09/19 17:09
-		1	((replaceable adj dis\$5) or (removable adj	USPAT;	2004/08/18 17:08
			dis\$5)) with ("keypad device" or "detachable	US-PGPUB;	
			keypad" or (detach\$4 near3 keypad))	EPO; JPO;	
				DERWENT;	
		1		IBM TDB	1

Page 1

,	7			
_	0	((keypad\$ near3 attach\$3) or (detach\$4 near3 keypad\$1)) with ("removable dis\$3" or	USPAT; US-PGPUB;	2004/08/18 17:31
		"replaceable dis\$3" or "copact dis\$1" or CD)	EPO; JPO; DERWENT;	
			IBM_TDB	
- ·	0	((keypad\$ near3 attach\$3) or (detach\$4 near3	USPAT;	2004/08/18 17:38
		keypad\$1)) with ((removable adj dis\$4) or	US-PGPUB;	
		(replaceable adj dis\$4) or (copact adj dis\$1) or CD)	EPO; JPO; DERWENT;	
		disti oi cb	IBM TDB	
_	485	((keypad\$ near3 attach\$3) )	USPAT;	2004/08/18 17:34
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	98	detach\$4 near3 keypad\$1	USPAT;	2004/08/18 17:35
			US-PGPUB;	(4)
		•	EPO; JPO; DERWENT;	
			IBM_TDB	
-	427	(replaceable adj dis\$4)	USPAT;	2004/08/18 17:36
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(copact adj dis\$1)	USPAT;	2004/08/18 17:36
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((keypad\$ near3 attach\$3) or (detach\$4 near3 keypad\$1)) with ((removable adj dis\$4))	USPAT; US-PGPUB;	2004/08/18 17:37
		keypad\$1// with ((removable adj dis\$4/)	EPO; JPO;	
			DERWENT;	
		(/) 14 2 -1.62) (deborbés moore)	IBM_TDB	2004/08/18 17:38
_	567	((keypad\$ near3 attach\$3) or (detach\$4 near3 keypad\$1))	USPAT; US-PGPUB;	2004/00/16 17:36
		Keypaay177	EPO; JPO;	
			DERWENT;	
	0	(((keypad\$ near3 attach\$3) or (detach\$4	IBM_TDB USPAT;	2004/08/18 17:39
		near3 keypad\$1))) with (((removable adj	US-PGPUB;	2001,00,20 2,101
		dis\$4) or (replaceable adj dis\$4) or (copact	EPO; JPO;	
		adj dis\$1) or CD))	DERWENT; IBM TDB	*
_	6	(((keypad\$ near3 attach\$3) or (detach\$4	USPAT;	2004/08/19 13:53
		near3 keypad\$1))) same (((removable adj	US-PGPUB;	
		dis\$4) or (replaceable adj dis\$4) or (copact	EPO; JPO; DERWENT;	
		adj dis\$1) or CD))	IBM TDB	
_	372	(713/185).CCLS.	USPAT;	2004/08/18 17:51
			US-PGPUB; JPO	
_	93	((713/185).CCLS.) and (cd or (compact adj	USPAT;	2004/08/18 17:52
	) , ,	(disc or disk)))	US-PGPUB	
_	16	((713/185).CCLS.) and (cd or (compact adj	USPAT;	2004/08/18 17:53
	6	(disc or disk))) and (image with stor\$3) ((713/185).CCLS.) and (cd or (compact adj	US-PGPUB USPAT;	2004/08/18 18:00
		(disc or disk))) and (image with stor\$3) and	US-PGPUB	
	1	@ad<20000411	110000	0004/00/50 10 55
+	14	((713/185).CCLS.) and (cd or (compact adj (disc or disk))) and image and @ad<20000411	USPAT; US-PGPUB	2004/08/18 18:03
_	0	((713/185).CCLS.) and (cd or (compact adj	USPAT;	2004/08/18 18:04
		(disc or disk))) and (image adj password)	US-PGPUB	
	_	and @ad<20000411 ((713/185).CCLS.) and (image adj password)	USPAT;	2004/08/18 18:04
-	0	and @ad<20000411	US-PGPUB	2004/00/10 10:04
_	1	( ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	USPAT;	2004/08/18 18:04
		and @ad<20000411	US-PGPUB USPAT;	2004/00/10 10:05
-	0	((713/185).CCLS.) and (compar\$3 with image) same password and @ad<20000411	US-PGPUB	2004/08/18 18:05
		I The state of the	·	<del>'</del>

• •	•			
-	0	((713/185).CCLS.) and (compar\$3 with image) same passcode and @ad<20000411	USPAT; US-PGPUB	2004/08/18 18:06
-	1	((713/185).CCLS.) and (compar\$3 with image) same PIN and @ad<20000411	USPAT; US-PGPUB	2004/08/18 18:08
-	2	713/186.ccls. and (compar\$3 with image) same PIN and @ad<20000411	USPAT; US-PGPUB	2004/08/18 18:11
-	11	(password with match\$3 with image) and (compar\$3 with image) and @ad<20000411	USPAT; US-PGPUB	2004/08/18 18:18
-	0	(password with match\$3 with image) and (compar\$3 with image) and @ad<20000411 and (card adj reader)	USPAT; US-PGPUB	2004/08/18-18:20
-	2	(password with match\$3 with image) and (compar\$3 with image) and @ad<20000411 and ((card adj reader) or ((cd or (compact adj dis\$1)) adj (rom or drive)) or (zip adj drive))	USPAT; US-PGPUB	2004/08/18 18:23
-	2	(password with match\$3 with image) and (compar\$3 with image) and @ad<20000411 and ((card adj reader) or (cd or (compact adj dis\$1)) adj (rom or drive) or (zip adj drive))	USPAT; US-PGPUB	2004/08/18 18:26
	2		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/18 18:26
-	1008	<pre>(card adj reader) with (biometric or fingerprint or (iris adj scan\$3) or (retina\$2 adj scan\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/19 13:52
	0	<pre>(((keypad\$ near3 attach\$3) or (detach\$4 near3 keypad\$1))) same (((removable adj dis\$4) or (replaceable adj dis\$4) or (copact adj dis\$1) or CD)) and 713/182.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/19 13:55
-	419	713/182.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/19 13:55
-	8	713/182.ccls. and ((card adj reader) with (biometric or fingerprint or (iris adj scan\$3) or (retina\$2 adj scan\$3)))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/19 13:55
-	4	(713/182.ccls. and ((card adj reader) with (biometric or fingerprint or (iris adj scan\$3)))) and @ad < "20000411"	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/19 13:56
-	0	(biometric or fingerprint or (iris adj scan\$3) or (retina\$2 adj scan\$3)))) and @ad < "20000411") and ((PIN or ID or password or passcode) with ((numeric or number) adj3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:58
-	1	(biometric or fingerprint or (iris adj scan\$3) or (retina\$2 adj scan\$3)))) and @ad < "20000411") and ((PIN or ID or password or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/19 13:59
-	1	passcode) with (sequenc\$3)) (((713/182.ccls. and ((card adj reader) with (biometric or fingerprint or (iris adj scan\$3) or (retina\$2 adj scan\$3)))) and @ad < "20000411") and ((PIN or ID or password or passcode) with (numeric or number))) and (((713/182.ccls. and ((card adj reader) with (biometric or fingerprint or (iris adj	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:59
1		scan\$3) or (retina\$2 adj scan\$3)))) and @ad < "20000411") and ((PIN or ID or password or passcode) with (sequenc\$3)))		

Γ	_	3	((713/182.ccls. and ((card adj reader) with	USPAT;	2004/08/19 15:22
			(biometric or fingerprint or (iris adj	US-PGPUB;	
-			scan\$3) or (retina\$2 adj scan\$3)))) and @ad	EPO; JPO;	
			<pre>&lt; "20000411") and ((PIN or ID or password or</pre>	DERWENT;	
			passcode) with (numeric or number))	IBM_TDB	